Introduction to Time-to-Event Data

# COVID's toll on smell and taste: what scientists do and don't know

Researchers are studying the sensory impact of the coronavirus, how long it lasts and what can be done to treat it.


#### How quickly do the impaired senses return?

For most people, smell, taste and chemesthesis recover within weeks. In a study published last July \$\frac{8}{2}\$, 72% of people with COVID-19 who had olfactory dysfunction reported that they recovered their sense of smell after a month, as did 84% of people with taste dysfunction. Claire Hopkins, an ear, nose and throat consultant at Guy's and St Thomas' Hospital in London, and her colleagues similarly observed \$\frac{9}{2}\$ a speedy return of the senses: they followed 202 patients for a month, and found that 49% reported complete recovery over that time, and a further 41% reported an improvement.

#### Time in the NFL

The average length of an NFL career has seen a sharp drop since 2000. A look at the average number of years played before retirement, sorted by position.

6 years played before retirement



Note: All career length numbers were rounded down to the nearest whole number. Source: Pro-Football-Reference.com

THE WALL STREET JOURNAL.

#### Time to Event Data

Oftentimes, longitudinal data measures **the time until an event**, and want to know the **associated risk factors**.

The analysis of time-to-event data is often called **survival analysis**.


► The goal of survival analysis is characterizing the **time until an event** (e.g., death).

- ► The goal of survival analysis is characterizing the **time until an event** (e.g., death).
- ▶ This is **longitudinal data** where we keep asking "has it happened?"


- ► The goal of survival analysis is characterizing the **time until an event** (e.g., death).
- ▶ This is **longitudinal data** where we keep asking "has it happened?"
- Often have to handle censoring and truncation.

- ► The goal of survival analysis is characterizing the **time until an event** (e.g., death).
- ▶ This is **longitudinal data** where we keep asking "has it happened?"
- ▶ Often have to handle **censoring** and **truncation**.
  - Censoring refers to individuals who we stop observing before the event has happened.


- ► The goal of survival analysis is characterizing the **time until an event** (e.g., death).
- ▶ This is **longitudinal data** where we keep asking "has it happened?"
- ▶ Often have to handle **censoring** and **truncation**.
  - Censoring refers to individuals who we stop observing before the event has happened.
  - ► **Truncation** refers to individuals who are excluded from the study because their event did not happen during a defined window.



1. Time origin precisely specified for all individuals.



- 1. **Time origin** precisely specified for all individuals.
- 2. The **event occurence** needs to be clearly (unambiguously) defined.




- 1. **Time origin** precisely specified for all individuals.
- 2. The **event occurence** needs to be clearly (unambiguously) defined.
- 3. The measurement scale for time has to be selected.

Discrete and Continuous Time

We will differentiate based on whether the time scale is **discrete** or **continuous**.

What makes Survival Analysis special?



An individual who **never** has an **observed** event is said to be **censored**.

- An individual who never has an observed event is said to be censored.
- ▶ **Left** versus **right** censoring based on whether event happened *before* or *after* the observation period.

- An individual who never has an observed event is said to be censored.
- ▶ **Left** versus **right** censoring based on whether event happened *before* or *after* the observation period.
- An individual lost due to follow-up is right censored


- An individual who never has an observed event is said to be censored.
- ▶ **Left** versus **right** censoring based on whether event happened *before* or *after* the observation period.
- An individual lost due to follow-up is right censored
- Describe three types of right censoring:

- An individual who never has an observed event is said to be censored.
- ▶ **Left** versus **right** censoring based on whether event happened *before* or *after* the observation period.
- An individual lost due to follow-up is right censored
- Describe three types of right censoring:
  - ► **Type I:** Where the censoring time is pre-determined and known.

- An individual who never has an observed event is said to be censored.
- ▶ **Left** versus **right** censoring based on whether event happened *before* or *after* the observation period.
- An individual lost due to follow-up is right censored
- Describe three types of right censoring:
  - **Type I:** Where the censoring time is pre-determined and known.
  - **Type II:** The number of events is pre-determined and known.

- An individual who never has an observed event is said to be censored.
- ▶ **Left** versus **right** censoring based on whether event happened *before* or *after* the observation period.
- An individual lost due to follow-up is right censored
- Describe three types of right censoring:
  - **Type I:** Where the censoring time is pre-determined and known.
  - ▶ **Type II:** The number of events is pre-determined and known.
  - Random Censoring: The censoring times are random quantities themselves.

Ignoring censoring will <b>bias</b> your results, and <b>ignores</b> m information you've collected.	uch of the



Occurs when individuals are excluded from your sample based on when their event occurs.

- Occurs when individuals are excluded from your sample based on when their event occurs.
- ▶ **Left truncation** considers only individuals who had not had an event by the time origin.

- Occurs when individuals are excluded from your sample based on when their event occurs.
- ► **Left truncation** considers only individuals who had not had an event by the time origin.
- Right truncation considers only individuals who have had an event by the end of the study.

- Occurs when individuals are excluded from your sample based on when their event occurs.
- ▶ **Left truncation** considers only individuals who had not had an event by the time origin.
- Right truncation considers only individuals who have had an event by the end of the study.
- ► This is a type of **sampling bias**.

Under truncation you **must** perform **conditional inference** in order to make valid conclusions.

▶ Time-to-event data measures **event time** as the outcome of interest.

- ▶ Time-to-event data measures **event time** as the outcome of interest.
- ► **Survival analysis** characterizes how long until an event of interst (and the effects of covariates on this).

- ▶ Time-to-event data measures **event time** as the outcome of interest.
- ► **Survival analysis** characterizes how long until an event of interst (and the effects of covariates on this).
- ▶ The priamry hurdles in conducting survival analysis are **censoring** and **truncation**.

- Time-to-event data measures event time as the outcome of interest.
- ► **Survival analysis** characterizes how long until an event of interst (and the effects of covariates on this).
- ► The priamry hurdles in conducting survival analysis are **censoring** and **truncation**.
- ▶ **Censoring** refers to individuals who **are included** but who do not have the event.

- Time-to-event data measures event time as the outcome of interest.
- ► **Survival analysis** characterizes how long until an event of interst (and the effects of covariates on this).
- ► The priamry hurdles in conducting survival analysis are **censoring** and **truncation**.
- **Censoring** refers to individuals who **are included** but who do not have the event.
- ▶ Truncation refers to individuals who are not included because of their event time.